

# EAA Chapter 838 *Contact*

Volume XX, Number 5



May 2009

## A Dark and Stormy Night

By **Matthew McDaniel**

[Editor: This is published with the author's permission, unauthorized reproduction is prohibited, and it was first published in Cirrus Pilot magazine.]

In the mid '90's I worked as an independent flight instructor near my hometown, in southern Indiana. One of my students, a local business owner, owned a Cessna 177 Cardinal. John was pursuing his private pilot certificate in the "professional student" manner (he had nearly 300 hours logged but not had yet completed the required written exam or the minimum solo flight requirements). Nonetheless, he was a good student and pilot and quite good at flying his airplane. Our story begins with the second half of an instructional cross-country flight.

We had flown earlier that day from our home base in Columbus, IN (BAK) to Jackson, MI (JAC), a 2-hour flight. Our return flight would be at night. A warm front had moved in more quickly than expected and we were now facing MVFR and IFR conditions. We decided to fly home on an IFR flight plan so John wouldn't miss work the next day.

John and I began to plan for our return trip. John would fly back home direct, using VOR's and pilotage navigation. His Cardinal was equipped with a yoke-mounted GPS, but using it was not appropriate for his instruction on this flight. For this flight, it was relegated to my yoke.

According to the weather briefing, we could stay in VFR conditions for the majority of the flight home. However, there were forecast ceilings along or near the route, ranging from 1500' to 15,000' with isolated areas of even lower weather. There would likely be about 30-60 minutes where we would be in IFR conditions due to altitude requirements. But, it would be fairly "soft" IFR and there were several good escape routes (back to JAC, due east, or west through the IFR area to VFR conditions about 50 miles behind the front).

With the flight plan filed, we loaded up and headed out. We climbed to 6000' and headed southwest. Before long we started to get into the bases of the clouds. I told John to request 4000', which

was approved. We noticed the intercom cutting in and out but didn't think it was anything more than annoying because there had been some previous intermittent problems with the intercom and the pilot's push-to-talk switch.

About 30 miles northeast of Ft. Wayne, IN (FWA) we were back in the clouds, this time at 4000 feet. We requested 3000' and it was approved. While that was the wrong altitude for direction, light traffic that night allowed the controller to approve our request. At 3000', we were VFR again and John resumed his navigation and checkpoint identifying duties.

John had just identified one of his night checkpoints (an airport beacon, at a lighted, grass-runway airport near Ft. Wayne, IN). Then, the full stack of King digital radios flickered off, and then back on. In the time it took John and I to look at each other, the flickering stopped and all seemed normal (including a scan of the electrical gauges). I told John we would keep a closer eye on the ammeter and voltmeter. Then we went back into the clouds and I reminded John that this was the area where we would probably not be able to stay below the clouds and to just fly the assigned heading for now.

A minute later, the flickering started again. But, this time it wasn't just the radios. It was basically everything electrical. My immediate reaction was to crane my head around John to see the ammeter, which was showing a full-scale battery discharge. Without a word, I reacted and began shutting off equipment. I left only the #1 radio, the intercom and the transponder turned on. The GPS had diverted to its battery back-up power as a result of the power surges. I squawked 7600 on the transponder, assuming everything electrical would be gone very shortly.

John began to panic. He yelled that he couldn't read the instruments to fly the plane. I reached for my military-style gooseneck flashlight. I turned it on and shoved it between his legs, pointed squarely at the attitude indicator. I yelled back, "*John, don't freak out on me, look at the attitude indicator and keep us upright. I have to talk to ATC before we lose everything here. FLY THE*

See DARK on page three



## The President's Corner...

By: **Bob Helland**

### Upcoming Events

May 9<sup>th</sup> ----- Young Eagles and Chapter Cleanup Day

Come on out to the Chapter Building and give a hand with Young Eagles and cleaning up the property. We will be cleaning windows, raking leaves, cutting grass, etc. Bring you favorite hand tools. The Chapter will provide food for a cookout at noon.

May 16<sup>th</sup> and 17<sup>th</sup> ----- Pancake Breakfast

7AM to 12PM This is the Chapter's main fund raiser for the spring, so sell lots of tickets.

We still need volunteers to help with cooking, serving, and cleanup. Give me a call if you can be of assistance. 262-886-8577

July 10<sup>th</sup> and 11<sup>th</sup> ----- Yankee Air Museum B17 Yankee Lady

We have tentative plans to host this airplane for the 10<sup>th</sup> and 11<sup>th</sup> of July. They will be selling rides and souvenirs, with some of the proceeds going to the Chapter.

*Bob*

## Kerry Wohlust A Friend of Chapter 838

On 25 April 2009 Kerry Wohlust passed away at the Veterans Home in Union Grove. We are fortunate to have three of Terry's paintings gracing the walls of our library and classroom.



Thanks, Kerry. Rest in peace.

## Training Completions

By **Ken Kaebisch** and Scribo

This month we have two successful check rides.

Ken Kovac received his Private Pilot license Thursday, April 16th, which was also his 17th birthday.

On April 9th, Dean Zakos passed his instrument flight test, and now Dean laughs at clouds and rain and dark of night.

## April Young Eagles Report

By **Tom Schuyler**

At our April rally, we flew a total of 15 Young Eagles. Thanks to everyone who volunteered to help out with the flying and paperwork. The next rally is May 9th, and we are expecting a large turnout. All EAA member pilots are encouraged to participate in this rewarding activity (and bring their planes).



## EAA Chapter 838 - Silver Anniversary Celebrating 25 years of Aviation in Racine

By **Ken Sack**

We have the rules established, and we'll outline them next month in **Contact**. Keep the date open to either volunteer, to participate as a player, or bring in a group to play Monopoly.

**Saturday October 10th in the Museum.**

Contact me for more information. Ken Sack 262-554-9714.

DARK

*PLANE, JOHN! Pretend you are under the hood and keep this thing upright...don't worry, I will NOT let you kill me today!"*

To make matters worse, while I was trying to explain the situation Ft. Wayne Approach Control was handing us off to Indianapolis Center. Indy wasn't sure of our situation and asked us to confirm our squawk and any requests. I managed to hear Indy suggest we land at Muncie, IN (MIE), and issue us a vector for the ILS approach there. That sent my mind scrambling. Muncie had the worst weather on our route, forecast as low as occasional 500' ceilings and 1-mile visibilities.

I refused the vector and told ATC to vector me towards a VFR airport...NOW! I was concerned we would lose all electrical soon and be unable to do the approach into MIE. That is right when the electrical system decided to basically go bye-bye. I only heard three words of the controllers reply...*Four Thousand...Kokomo...* Then the cockpit went completely dark, except for the glow of the flashlight in John's lap.

That didn't sound (or look) good to John, at all. He told me he wanted to turn the plane around. I asked why. He wanted to return to the last airport he had seen (which was one of his VFR checkpoints). He wanted to be on the ground...right now!

*"John, that was a grass airport, remember? Do you really want to land there at night with no landing light? I know I don't want to! Listen to the engine a minute, would you. [A slight pause for effect] Sounds as smooth as ever doesn't it? Remember what a magneto is? That engine will keep running with no electrical system whatsoever. The attitude indicator is being powered by an engine-driven vacuum pump. It's fine too. We have over 3 hours of gas in the tanks. FLY THE PLANE, John. I think the controller wants us at 4000' and he said 'Kokomo.' That is southwest of us and hopefully far enough west to get us on the other side of this weather. So, calm down, turn west and climb to 4000'...we are going to be just fine."*

John calmed down and did what I asked. I could have taken the controls at any time, but I *wanted* John to keep flying for two reasons. One: He needed something (*anything*) to occupy his mind. Two: He needed the confidence boost that he could, indeed, fly under pressure. I punched Kokomo (OKK) into the GPS and got a heading of 240 degrees and a distance of 40 miles. I told John to turn to 240 and we'd be there in about 20 minutes.

I then put 7700 into the transponder hoping that the electrical system would flicker on again and give ATC one radar sweep of our position. A few minutes later, it did just that. At which point, the radio lit up and Indy said to us, *"Cardinal 34287, nice to see you again. Call Grissom Approach on frequency 1xx.xx and good luck."* So, we called Grissom. The radio was flickering badly again and their reply was garbled. We heard, *"...weather at Kokomo, 2700 Overcast...alternate...Grissom Air Force Base...advise field..."* then...nothing. It was dark and quiet again and John was just sitting there, flying the plane by the glow of a flashlight. A student pilot flying in solid instrument conditions, at night, like he was some sort of veteran pilot. That made me smile in the darkness.

I told John it was time to form a plan. Assuming OKK's weather was actually 2700' Overcast, we should be able to find it if we descended to, say, 2500'. I checked the charts for obstructions and finding none over this flat Indiana farmland, I told John to go down to 2500'. He did so, as we continued to talk about our plan. I told him to turn off the master switch, hoping that when we turned it back on, we'd get a few seconds of power for the landing light and/or flaps. I mentioned that if we passed OKK without seeing it, we would turn north toward the Air Force Base and look for it and then descent no lower than 1500', if necessary (towers in the area were charted as high as 1335'). So, we pressed on at 2500', still in solid instrument conditions.

Ten miles from OKK we broke out of the clouds. But it was not 2700' Overcast. It was clear and the stars were out, although the visibility was still no better than 5 miles. You could almost see the tension release! Another 5 miles and the rotating beacon at OKK came into sight, as did the military beacon at the Air Force Base. However, neither airport had its runway lights on. I told John to flick the master switch back on. When he did, I clicked the mic switch 7 times and the runway lit up right in front of us. On short final, I flipped on the landing light and selected the flaps to 10 degrees (reasoning that 10 degrees was the normal takeoff setting for this plane and it would be nice to have them set should we need to go around). That was as much as the battery had left and the landing light immediately went dark. John just gave me a look of resignation and kept flying (I'd made him practice night landings with the landing light "INOP" before, so at least this wasn't another first for him). We made an acceptable landing under the circumstances.

On the landing rollout, the runway lights went out (they were pilot-controlled, but on a timer to save energy). We had no radio power left to turn them back on and had a very tough time finding a taxiway on which to exit the runway (almost turning into the grass twice). Finally we found the taxiway, cleared the runway and SLOWLY taxied towards the FBO's illuminated fuel sign.

The lineman at the FBO was happy to see us, as Grissom Approach had called to see if we had landed yet. We immediately called Grissom to tell them we were safe and to thank them and all the controllers for their help. In our hotel room that night, I jotted notes about our experience in my logbook, while John called his girlfriend. I can't speak for John, but I slept like a rock that night!

What went wrong? The alternator bracket had developed a crack that allowed the alternator to vibrate severely. The vibration had shaken the grounding and field wires loose, causing the aircraft's electrical system to intermittently short out. That explained the flickering and blinking we were seeing in the electronics. Simultaneously, the battery was subjected to changing loads of severe draw and maximum charge (until we shut off the master switch). According to the mechanic, it was a good thing we did that when we did, because the battery had overheated at some point and was spilling boiling acid into the battery box.

What lessons can we learn from this story?

- Fly the plane first. Aviate, Navigate, Communicate. If there is more than one pilot on board, divide the tasks at hand to maxi-

>>>>>>>>>>

mize your available resources (even if one pilot happens to be a student).

- Always have and know your “outs.” This is probably the single most important part of situational awareness in an emergency requiring a diversion. Where are you going to go? What can you expect on the way there?
- Don’t blindly follow ATC. Make sure they are sending you to an area with weather, terrain and facilities that are appropriate to your situation. Shooting a 500&1 approach with major electrical problems is not where you want to be!
- Know your aircraft. Understand its systems and their limitations and operations. It is knowledge you can use to diagnose and react to problems. It is critical when trying to squeeze the last little bit of performance out of a compromised or malfunctioning system.
- Use current charts. IFR for instrument flights and VFR for ALL flights. In this story, I was flying IFR but using the superior terrain and obstruction presentation of a VFR Sectional chart to determine exactly how low I could descend in a given area.
- Carry a *real* flashlight at night. One with D-cell batteries and a strong beam, which can be used hands-free. Over a decade later, and the same flashlight that John used on this flight is still in my flight bag.
- Practice weird emergencies. Memorize critical procedures, which do not allow you time to run a checklist. Consistent training is the only thing that will teach your mind to go into *reaction mode* when the pressure is otherwise overwhelming.
- If you carry a handheld GPS for this sort of emergency, have it up and running all the time. Make sure that when ship’s power fails, the GPS will divert to its own batteries without powering down. There is no way I would have had time to pull that GPS out of a flightbag and get it working under the circumstances. It was at the ready all the time, and it was a major component in getting us to a VFR airport as quickly as possible.

In retrospect, what could, should or would we have done differently?

- After getting us going towards our emergency airport and turning off the Master, I should have left it off. While that would have created other complications at the end of the flight, it would have lessened the chance of electrical problems getting worse or electrical fires starting.
- Declare an emergency. In all the excitement of the situation, the thought of making the declaration never crossed my mind. Maybe the controller asked? If so, it was lost in our mangled communications. As it was, they and we were both treating it as an emergency regardless of my failure to verbalize it to ATC.
- We would certainly have not bothered with the flaps on landing. They probably depleted the energy we could have used for the landing light. However, ideally, I think I would have left everything electrical off altogether.

## Electrical Failures in an All-Electric Aircraft

What are your options if you find yourself in a similar situation in your all-electric aircraft, such as nearly any current production aircraft? The options are not zero or nil, as many pilots might assume, but there are certainly important considerations. For this discussion, we are concentrating on full electrical failures only, without regard to the multiple bus electrical system in these sorts of aircraft. The nature of partial electrical failures makes them too varied for this limited-scope discussion. Remember, as rare as full electrical failures might be, they do happen. In fact, they might be pilot-induced in response to an electrical fire or other electrical system malfunctions. Given the above:

### What items will fail (and what to consider)?

- ⊙ All electrical flight instruments (attitude indicator, turn coordinator & HSI/DG). In a the new glass cockpit aircraft, this will include the entire PFD and the back-up attitude indicator.
- ⊙ Flaps (plan on a no-flap landing, unless the aircraft has manual flaps).
- ⊙ Trim (plan on an out-of-trim landing unless you have a manual trim system installed).
- ⊙ The engine instruments and MFD (no direct indication of MP or RPM, this will be true “seat of the pants” flying).
- ⊙ All COMM and NAV equipment, transponder & autopilot. (Do you know where you are and how to get where you need to be? Are all charts accessible and ready for use? Can you use them and hand-fly at the same time?)
- ⊙ Your headset’s ANR, if it’s powered from the aircraft’s electrical system (its going to get noisy!).

### What items will remain?

- ⊙ Pitot-static instruments (airspeed indicator, altimeter, VSI or the back-up airspeed indicator & altimeter only in glass cockpits).
- ⊙ Flight controls.
- ⊙ Power.
- ⊙ A wet-compass (not as useless as you might think).
- ⊙ A well-trained and calm pilot (hopefully).

Take a look at the two lists above. Now picture yourself in the predicament John and I found ourselves in, but with only the instru-

>>>>>>>>>>

ments I've listed above working. Would you be comfortable in IMC, at night, with no attitude indicator or turn coordinator? Me neither.

So, what items can you carry to help you in such a situation?

- ⊙ A hand-held radio with:
  - ◆ A fully charged battery
  - ◆ An external antenna hook-up (otherwise range will be very minimal)
  - ◆ A way to hook your headset and a push-to-talk through it
- ⊙ A hand-held GPS hard-wired to your aircraft's electrical system but backed-up with its own battery.
- ⊙ A battery powered ANR headset.
- ⊙ A back-up attitude-indicating system, such as a PDA-displayed attitude indicator or a GPS unit that displays a "panel page" with "flight instruments" displaying GPS-derived information (such as the Garmin x96-Series units).

**Overall Considerations:**

- ⊙ Back-up equipment won't do you any good if stowed or turned off. Before entering IMC, make sure you get backup equipment ready.

⊙ Practice using your emergency equipment and procedures. The place to learn to fly the aircraft with reference to a GPS panel page is NOT during an actual emergency. That is a VERY challenging task and should be trained through consistent flight training with your CFII. The same is true for properly hooking up and using other emergency equipment, such as a hand-held COMM radio.

- ⊙ Know how to use your compass. It might be the difference between success and failure. Fly on a south heading, if feasible. The compass will LEAD your turns from a south heading, and thus give you the fastest and most accurate indication that the plane is turning. Without any electrical equipment or any hand-held back-up equipment, this will be all you have. Be aware of other turning, acceleration and deceleration errors associated with a compass.
- ⊙ Always know where the nearest VFR conditions are and how to get there, keeping terrain and obstructions in mind.

About the Author: Matthew McDaniel is the owner of Progressive Aviation Services ([www.progaviation.com](http://www.progaviation.com)). He has been an active instructor for over 17 years & is a Master CFI, CFII, MEI & ATP. He has specialized in teaching Technically Advanced Aircraft since 2001. He's currently furloughed from Midwest Airlines, where he flew the DC-9 and the B-717. He holds four turbine aircraft type-ratings. He has well over 10,000 hours total time and nearly 4000 hours instruction-given. He can be reached at [matt@progaviation.com](mailto:matt@progaviation.com) or 414-339-4990.

May 2009						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					1	2
3	4	5	6	7	8	9
	Monday Night Builders 7 pm		Museum Board	Post 218 Meeting 7 p.m.		9 a.m Young Eagles. Clean-up Cook-out
10	11	12	13	14	15	16
	Marvels of Mechanical Mysteries 7 p.m.		Chapter meeting 7 p.m.			7 am - 12 noon Pancake Bkfst.
17	18	19	20	21	22	23
7 am - 12 noon Pancake Bkfst.	Aeronautical Apparatus Aficionados 7 p.m.		7 p.m. Chapter Board	Post 218 Meeting 7 p.m.		
24	25	26	27	28	29	30
	Memorial Day					

EAA Chapter 838 of Racine, Inc.  
 3333 North Green Bay Road  
 Racine, WI 53402

**A Distinguished Citizen Dinner will be held on June 1, 2009**

At the Racine Marriot to benefit the Southeast Wisconsin Council, Boy Scouts of America. The highlight of the evening is the presentation of two Distinguished Citizen Awards (one to Mrs. Imogene Johnson and one to Dr. Gregory Campbell). There will be a 5:30 p.m. Reception; 6:30 p.m. Dinner & Program. Individuals tickets are \$125, as well as table sponsorships. For more information please call the Boy Scout office at 262-632-1655. Chapter 838 sponsors Explorer Post 218 which is part of the Boy Scout Exploring program.

**EAA Chapter 838 Board of Directors**

<b>President</b>	<b>Bob Helland</b>	<b>886-8577</b>
<b>Vice Pres.</b>	<b>Scott Sellers</b>	<b>639-6451</b>
<b>Secretary</b>	<b>Tracy Miller</b>	<b>(773) 867-4023</b>
<b>Treasurer</b>	<b>Carol Voss</b>	<b>262-902-4709</b>

**Directors:**

Past Pres.	Jerry Baker	262-763-3633
	Steve Rehwinkel	886-6382
	Ken Sack	554-9714
	Carl Bumpurs	634-0534
	Roy Stuart	884-0371
	Phil Fountain	639-9892
	Jim Hantschel	637-3376

**Committee Chairpersons & Trustees:**

Programs	Daryl & Kim Lueck	681-2370
Hangar	Jerry Bovitz	639-8583
Librarian	Eddy Huffman	639-8301
Membership	Ken Sack	554-9714
Young Eagles	Tom Schuyler	414-828-6779
Museum Trust	Tim Bass	497-9768
Chapter Foundation	Steve Myers	681-2528
<b>CHAPTER BUILDING</b>		<b>634-7575</b>

**Chapter Meeting**

13 May 2009

**Chapter 838 Events:**

Saturday	9 a.m.	9 May	Young Eagles
Wednesday	7 p.m...	13 May	Chapter Meeting
Wednesday	7 p.m.	20 May	Board Meeting
Mondays	7 p.m.		Hangar Builders

**Contact Editor:** Eddy Huffman 639-8301

4609 Bluffside Drive, Racine, WI 53402

Email: [eddy-h@wi.rr.com](mailto:eddy-h@wi.rr.com)

Contact is published monthly in Racine, WI by:

EAA Chapter 838 of Racine, Inc.



Visit Us On-Line At [EAA838.org](http://EAA838.org)